

In the Claims:

This listing of claims replaces all prior versions and listings of claims:

1. (currently amended) A print terminal comprising:
 - an image-capturing unit for receiving image data and outputting captured image data;
 - a display unit that displays ~~a print-medium image and~~ a print image superimposed on a print-medium image, said print-medium image comprising a rectangular frame representing an outline of a sheet serving as a print medium, wherein said print image results from rotating the captured image data by a selected rotation angle, said rotation angle being selectable within a range of one to ninety degrees; and
 - an image-processing unit capable of performing any combination of (i) rotating the print-medium image, (ii) rotating the print image, and (iii) simultaneously rotating both the print image and the print-medium image wherein said image-processing unit rotates, in response to a user input, an orientation of the print medium relative to the print image by the selected rotation angle.
2. (canceled)
3. (previously presented) The print terminal according to claim 1, wherein rotating the captured image data by a rotation angle less than ninety degrees corrects a tilt of the captured image data.
4. (previously presented) The print terminal according to claim 1, further comprising a reader for reading the image data from a recording medium, wherein the image-capturing unit receives image data read by the reader.
5. (currently amended) A print system comprising:
 - a print terminal comprising:
 - an image-capturing unit for receiving image data and outputting captured image data;

a display unit that displays ~~a print-medium image and~~ a print image superimposed on a print-medium image, said print-medium image comprising a rectangular frame representing an outline of a sheet serving as a print medium, wherein said print image results from rotating the captured image data by a selected rotation angle, said rotation angle being selectable within a range of one to ninety degrees; and

an image-processing unit capable of performing any combination of (i) rotating the print-medium image, (ii) rotating the print image, and (iii) simultaneously rotating both the print image and the print-medium image wherein said image-processing unit rotates, in response to a user input, an orientation of the print medium relative to the print image by the selected rotation angle; and
a printer for printing the print image on the print medium.

6. (canceled)

7. (currently amended) A computer-readable storage medium storing a program, the program comprising the steps of:

displaying a print-medium image and a print image on a display unit, whereby said ~~print-medium image and~~ said print image ~~are~~ is displayed superimposed on the print-medium image, said print medium image comprising a rectangular frame representing an outline of a sheet serving as a print medium, wherein said print image results from rotating captured image data by a selected rotation angle, said rotation angle being selectable within a range of one to ninety degrees;

controlling, with an image-processing unit, an orientation of the print medium relative to the print image, said image-processing unit capable of performing any combination of (i) rotating the print-medium image, (ii) rotating the print image, and (iii) simultaneously rotating both the print image and the print-medium image wherein said image-processing unit rotates, in response to a user input, said orientation of the print medium relative to the print image by the selected rotation angle; and

displaying on the display unit a print preview of said print-medium image and the print

Serial No.: 10/823,940
Docket No.: 09792909-5866
Response "E", dated March 23, 2010
Reply to the Final Office Action of January 28, 2010

image resulting from said controlling step.

8. (canceled)

9. (canceled)